



Cast iron column (shape and textures obtained by casting).

Fixing: 4 Ø 18 mm anchors.

Spacing: 200x200 mm.

Light mounting heights (top mounting): 2.76 m, 3.19 m and 3.78 m.

Light fixing: Ø 60 mm, Ø 27 pdg or Ø 34 pdg.


Finishes: metallisation treatment polyester powder coating.

PARAPET VERSION

Fixing: 4 Ø 18 mm anchors on Ø 235 mm.

Spacing: 200x200 mm.

Light fixing heights (top mounting): 1.92 and 2.94 m.



DIRECTOIRE

DIRECTOIRE
Lighting set
Metropole III

DIRECTOIRE
Lighting set
Chantilly

DIRECTOIRE
Parapet version

DIRECTOIRE




DIRECTOIRE COLUMNS

CONFIGURATION

EXAMPLES



DIRECTOIRE



PARISIEN

Configuration

Light:
Cheverny II
Height:
2.76 m.




DIRECTOIRE

Configuration

Bracket:
Saint Germain II
Light:
Pearl
Height:
5.13 m.


DIRECTOIRE



DIRECTOIRE

Configuration

Light:
Beauregard III
Height:
3.78 m.



DIRECTOIRE

Configuration

Lighting set:
Directoire
Lights:
Beauregard II
Height:
4.15 m.

