



Cast iron column (shape and textures obtained by casting).
Standard ivy drum, grooved or smooth on request.

Fixing: 3 Ø 18 mm anchors.

Spacing: 120° on Ø 280 mm.

Light fixing heights

(top mounting): 2.90 m or 3.20 m.

Light fixing: Ø 60 mm, Ø 27 pdg or Ø 34 pdg.

Finishes: metallization treatment, polyester powder paint


Option: fixing by 4 Ø 18/400 mm anchors - Spacing: 200*200 mm

PARAPET VERSION:

Fixing: 4 Ø 18 mm anchors on Ø 170 mm.

Light fixing heights

(top mounting): 2.24 m and 2.54 m



ILE DE FRANCE
Trinite bracket



ILE DE FRANCE
Sommevoire bracket



ILE DE FRANCE



ILE DE FRANCE
Evêque bracket

ILE DE FRANCE



ILE DE FRANCE COLUMNS CONFIGURATION EXAMPLES



ILE DE FRANCE



ILE DE FRANCE

Configuration

Lighting set:
Sommevoire
Light:
Palma
Height:
3.10m



ILE DE FRANCE

Configuration

Lighting set:
Trinité
Lights:
Beauregard II
Height:
3.65m

ILE DE FRANCE



ILE DE FRANCE
Configuration

Light:
Beauregard II
Height:
2.90m



ILE DE FRANCE
Configuration

Bracket:
Evêque
Light:
Bussière n°2
Height:
3.36m

