

ITEM




ITEM	IK	kg	SCx	Hmax
500	09	9.7 kg	0.04 m²	12 m
600	08	12.2 kg	0.05 m²	12 m
1 arm	09	10.3 kg	0.06 m²	12 m
2 arms	08	12.1 kg	0.07 m²	12 m
4 arms	09	12.4 kg	0.10 m²	12 m
PHC Mounted	10	11 kg	0.19 m²	12 m
PHC Suspended	10	11.1 kg	0.19 m²	12 m

IEC EN 60598 IP66 RoHS 220-240V 50Hz


ITEM 500




ITEM 600




ITEM 1-arm lyre




ITEM 2-arm lyre




ITEM PHC wall-mounted washbasin



ITEM PHC wall-mounted washbasin




ITEM 4-arm swivel




The light source contained in this luminaire must only be replaced by the manufacturer or its maintenance agent or a person with equivalent qualifications.

ECLATEC S.A.S. 41, rue Lafayette - PO Box 20069 - Maxéville - 54528 LAXOU CEDEX - France Tel. • +33 (0)3 83 39 38 00
Website • www.eclatec.com


LL




LLM 60




LR




LRL




TOP




LTO 60




APPLIQUE / PATIN




SM



BI-TOP





SCO




The light source contained in this luminaire must only be replaced by the manufacturer or its maintenance agent or a person of equivalent qualification.

ECLATEC S.A.S. 41, rue Lafayette - PO Box 20069 - Maxéville - 54528 LAXOU CEDEX - France Tel. • +33 (0)3 83 39 38 00
Website • www.eclatec.com







The DALI wires at the base of the post must be separated and insulated if they are not connected.





The light source contained in this luminaire must only be replaced by the manufacturer or its maintenance agent or a person of equivalent qualification.

ECLATEC S.A.S. 41, rue Lafayette - PO Box 20069 - Maxéville - 54528 LAXOU CEDEX - France Tel. • +33 (0)3 83 39 38 00
Website • www.eclatec.com










The DALI wires at the base of the post must be separated and insulated if they are not connected.



The light source contained in this luminaire must only be replaced by the manufacturer or its maintenance agent or a person of equivalent qualification.

ECLATEC S.A.S. 41, rue Lafayette - PO Box 20069 - Maxéville - 54528 LAXOU CEDEX - France Tel. • +33 (0)3 83 39 38 00
Website • www.eclatec.com